

# 26708

```
#ifndef _VARIABLES_H
#define _VARIABLES_H

#define NETWORK_CLIENT "cmpe-smartvac" //nome da rede wifi do cliente

#define PASSW "Procurar_no_gereciador" // network password //senha do wifi di cliente

#define MDASH_APP_NAME "CMPC_26708" //nome de usuario do madash para esse equipamento

#define DEVICE_PASSWORD "Procurar_no_mdash" //senha do mdash

#define VOLT_CAL 53 //calibracao do sensor de tensao

#define CURRENT_CAL 6.5 //calibracao do sensor de corrente

#define PIN_CURRENT 39 //pino para a leitura de corrente

#define PIN_TEMPE 14 //pino para a leitura temperatura

#define PIN_VOLTAGE 34 //pino para a leitura da tensao PIN_VOLTAGE

#define EQUIPMENT_TAG "26708" //tag do equipamento, deve ser fornecido pelo spo
EQUIPMENT_TAG

#define EQUIPMENT_TOPIC "v4/matr0385" //topico de envio, fornecido pelo spo
EQUIPMENT_TOPIC

#define INS_SENSOR "s8251" //endereco sensor de insuflamento

#define RET_SENSOR "s8250" //endereco sensor de retorno

#define SUC_SENSOR "s8254" //endereco sensor de sucção

#define LL_SENSOR "s8252" //endereco sensor de linha de liquido
```

```
#define EXT_SENSOR "s8253" //endereço sensor de externa

#define VOLT_SENSOR "s8249" //endereço sensor de tensão

#define CURR_SENSOR "s8248" //endereço sensor de corrente

//kit 256
#define SENS_TEMP_RET {0x28, 0x53, 0x5C, 0x96, 0xF0, 0x01, 0x3C, 0x61} //endereço para a
leitura do sensor de temperatura de retorno

#define SENS_TEMP_INSU {0x28, 0x02, 0xA3, 0x96, 0xF0, 0x01, 0x3C, 0xB1} //endereço para a
leitura do sensor de temperatura de insuflamento

#define SENS_TEMP_LL {0x28, 0xBF, 0x5E, 0x96, 0xF0, 0x01, 0x3C, 0xB6}

#define SENS_TEMP_SUC {0x28, 0x2C, 0x06, 0x96, 0xF0, 0x01, 0x3C, 0xF5} //endereço para a
leitura do sensor de temperatura de sucção

#define SENS_TEMP_EXT {0x28, 0x8E, 0xFE, 0x96, 0xF0, 0x01, 0x3C, 0x5F} //endereço para a
leitura do sensor de temperatura de externa

#endif
```

---

Revision #2

Created 29 June 2023 16:32:03 by Patrick Leal

Updated 29 June 2023 16:35:12 by Patrick Leal