E72-K379 Tag: RJ-2040B2/36857

```
//*************************Compressor B ou 2************************

#ifndef _ENV_H
#define _ENV_H

#define NETWORK_CLIENT "SmartVac Telemetria"     //nome da rede wifi do cliente

#define PASSW "procurar_no_gerenciador" // network password  //senha do wifi di cliente

#define MDASH_APP_NAME "Braskem_RJ_36857"    //nome de usuario do madash para esse
equipamento

#define DEVICE_PASSWORD "y2yb1A6ry00ygupuvdZkow"   //senha do mdash

#define VOLT_CAL  10  //calibracao do sensor de tensao

#define VOLT_CAL_S  10  //calibracao do sensor de tensao

#define VOLT_CAL_TT  10  //calibracao do sensor de tensao

#define CURRENT_CAL  5.02 //calibracao do sensor de corrente

#define CURRENT_CAL_S 4.90 //calibracao do sensor de corrente

#define CURRENT_CAL_TT  5.85  //calibracao do sensor de corrente

#define PIN_CURRENT  34 //pino para a leitura de corrente

#define PIN_CURRENT_S 36  //pino para a leitura de corrente

#define PIN_CURRENT_TT 39   //pino para a leitura de corrente
```

```
#define PIN_TEMPE 15    //pino para a leitura temperatura  D5 no hard

#define PIN_VOLTAGE 35  //pino para a leitura da tensao  PIN_VOLTAGE

#define PIN_VOLTAGE_S  32 //pino para a leitura da tensao  PIN_VOLTAGE

#define PIN_VOLTAGE_TT  33 //pino para a leitura da tensao  PIN_VOLTAGE

#define EQUIPAMENT_TAG "36857_2"  //tag do equipamento, deve ser fornecido pelo spo
EQUIPAMENT_TAG

#define EQUIPAMENT_TOPIC "v4/matr0483"  //topico de envio, fornecido pelo spo
EQUIPAMENT_TOPIC

#define INS_SENSOR "s9294"  //endereco sensor de insuflamento

#define RET_SENSOR "s9295"  //endereco sensor de retorno

#define EXT_SENSOR "s9284"  //endereco sensor de externa

// compressor 2
#define SUC_SENSOR "s9297"  //endereco sensor de sucção

#define LL_SENSOR "s9299"   //endereco sensor de linha de liquido

#define CURR_SENSOR_R "s9288" //endereco sensor de corrente

#define CURR_SENSOR_S "s9289" //endereco sensor de corrente

#define CURR_SENSOR_TT "s9290" //endereco sensor de corrente


#define SENS_TEMP_RET {0x28, 0x8D, 0x55, 0x49, 0xF6, 0xB7, 0x3C, 0xA7}  //endereço para a
leitura do sensor de temperatura de retorno
#define SENS_TEMP_INSU {0x28, 0xC1, 0x74, 0x49, 0xF6, 0x56, 0x3C, 0x2B}  //endereço para a
leitura do sensor de temperatura de insuflamento
#define SENS_TEMP_EXT {0x28, 0x54, 0x70, 0x49, 0xF6, 0xE4, 0x3C, 0xFD}  //endereço para a
leitura do sensor de temperatura de externa
#define SENS_TEMP_LL {0x28, 0x3F, 0x2F, 0x49, 0xF6, 0x70, 0x3C, 0xC4}
#define SENS_TEMP_SUC {0x28, 0x1B, 0x4A, 0x49, 0xF6, 0xA3, 0x3C, 0x60}  //endereço para a
leitura do sensor de temperatura de sucção
```

```
#endif
```

Revision #1
Created 21 March 2024 16:20:52 by Patrick Leal
Updated 21 March 2024 16:21:11 by Patrick Leal